







The Alpine Halo9 brings a 9-inch high-resolution touch-screen to any vehicle with 1-DIN installation space. Its super-slim display appears to simply hover over your dashboard. Bring the future of car-media to your ride with the Alpine Halo9.









iLX-F903D Digital Media Station



• 1DIN chassis

· FLAC Playback

. Works with Apple CarPlay

. Works with Android Auto

4x50W HighPowerAmp

· Alpine Tunelt App Ready

WMA/MP3/AAC Playback

. USB Video Playback (MP4)

. Built-in DAB+ Tuner

. BASS ENGINE SQ • 3 PreOuts (4 Volts) • 9-band Parametric EQ

Crossover

(24/96 and 24/192 Compatible)

. 6-Channel Digital Time Correction

. GPS / Glonass antenna Included























Fully adjustable display

Adjust the display angle, height and distance to the dash to match your vehicle

Apple CarPlay compatibility

Navigate, communicate, stream and enjoy music and much more with Apple CarPlay

Android Auto compatibility

Use all your Android Auto enabled apps and let Google Assistant help you

Voice Assistant

Use SIRI or OK Google to help you with address input, weather forecasts and more

Ambient illumination

The thin, white LED ambient light increases the Alpine Halo9's appearance to hover over your dash

DAB+ Digital Radio

The built-in DAB+ tuner allows you to enjoy noise-free digital radio







• 9" (23cm) adjustable Touch Screen • HDMI Input







Built-in Bluetooth® Module

. Bluetooth® Audio Streaming

· Vehicle Data-bus Interface Ready

· Camera Input (RCA)

Remote Control Ready

· Anti-theft Security Code

· Steering Wheel

. 1x Rear AV Input





















Bruderhalde K4962

Our Premium Navigation and Mobile Media Systems for Fiat Ducato 3 are also compatible with Citroën Jumper and Peugeot Boxer 2


The Alpine Style premium navigation system for the Ducato 3 now features Apple CarPlay connectivity, Android Auto, trucking software and includes navigation with TomTom map database with 3 years free of charge updates.



Fiat Ducato III (250) 06/2006-2011 • Fiat Ducato III Facelift (250) 2011-2014 • Fiat Ducato III (290) 2014-2016 • Fiat Ducato III* (290) 2017 and newer • Citroën Jumper / Relay (250) 06/2006 and newer • Peugeot Boxer II (250) 2011 and newer • For campers with Radio VP1, KIT-902DU-BT is required • For campers with Radio or Navigation VP2, KIT-902DU-

* Some features like lane assist, parking sensors etc. are currently not supported.

X903D-DU Premium Navigation System




3 GOD+ (1) HOME

i902D-DU2 Premium Mobile Media System

9" O Apple CarPlay androidauto Spotify 305+ & Hami



i902D-DU Premium Mobile Media System









For Mercedes-Benz Vito

Upgrade your Mercedes-Benz Vito (447) with this cutting-edge navigation and infotainment system. The X903D-V447 offers an amazing 9-inch high-resolution touch-screen with DAB+ digital radio, iGO navigation system with 48 countries and 3-years free of charge map updates.

Compatible

Mercedes-Benz Vito 447 model year 2014 and newer



X903D-V447

Premium Navigation System







For Iveco Daily

The X903D-ID perfectly matches the lveco Daily interior design. Its high-resolution 9-inch display is easily reachable from both front seats. Navigation maps, menus and other content are highly visible even in direct sunlight. Includes navigation trucking software.




Iveco Daily VI Euro 5 model year 2014 and newer • Iveco Daily VI Euro 6 model year 2014 and newer

X903D-ID

Premium Navigation System











For Mercedes-Benz Sprinter

The gigantic 9-inch high-resolution touch screen of the X903D-S906 will amaze you with superb picture quality for navigation maps, menus and video content. Best of all: the installation allows the lower pocket in your dash to remain free. Alpine offers an optional DVD player or even a Qi-standard wireless charging console for your smartphone to be installed in this space.



Compatible

Mercedes-Benz Sprinter 906 model year 2013


X903D-S906

Premium Navigation System





















The 9-inch Alpine Style System for Golf 7: choose between a model with built-in navigation and a model with online navigation. Both systems feature Android Auto and Apple CarPlay and integrate in the Golf 7.



Compatible	Golf 7 / GTI / GTD / R (AU) model year 2012 - 2016
Not compatible	Golf 7 GTE / eGolf / Sportsvan

X903D-G7 Premium Navigation System
















i902D-G7 Premium Mobile Media System















For Skoda Octavia 3

The second generation of the Alpine Style systems for the Skoda Octavia are here. You can choose between a model with built-in iGO Primo Nextgen navigation or a model without built-in navigation.

Compatible Octavia 3 / RS (5E) model year 2012 and newer Not compatible Vehicles with E-Call system



i902D-OC3 Premium Mobile Media System
















X903D-OC3 Premium Navigation System















Turn your Golf 6 dashboard into a cinematic experience with this perfectly integrated 9-inch display and bring Apple Car-Play, Android Auto and DAB+ digital radio to your ride.



Compatible	Golf 6 / GTI / GTD / R (A5) Limousine 2008-2012, Variant 2009 - 2013, Cabriolet 2011-2016			
Not compatible	Cross Golf / Golf Plus			

X903D-G6 Premium Navigation System

































For Volkswagen T5/T6

This kit is specifically designed to overcome the challenge of the extremely flat angle of the T5 / T6 dashboard and includes a detachable sun shield.

KIT-802T5 + X803D-U VW T5/T6 System Set

T5 facelift and T6: Multivan, Caravelle, California, Transporter van and Transporter Box-wagon (7EA/B/F/H/J,

7HA/B/F/H/J/M/N, 7JB/E/L/Y/Z)

8" diPhone | iPod Mapple CarPlay androidaUto







For Volkswagen Polo

The Volkswagen Polo kit (combined with the X803D-U) offers cutting edge navigation including, paired with DAB+, Android Auto and Apple CarPlay compatibility.

Compatible	Polo 5 / GTI (6C) model year 2014 - 2017
Not compatible	Vehicles with sound system Beats / edition model 'Sound'

KIT-X802POLO + X803D-U Premium Navigation System
























The X703D-Q5 gives Audi Q5 owners access to a wide media compatibility, cutting-edge navigation technology and 7-inch high-res touch-screen operation. All system components are designed to fit perfectly in existing installation locations and integrate with the vehicle's electronic systems.



Compatible	Q5 / SQ5 (8R) model year 2009 - 2016
Not compatible	Vehicles with MMI navigation or navigation plus • RHD ver- sion not available

X703D-Q5 Premium Navigation System

















For Audi A4/A5

If you own an A4 or A5 without original navigation system then this is the perfect upgrade for your car. Add iGO Primo Nextgen navigation, Apple CarPlay and Android Auto compatibility, Bluetooth®, DAB+ digital radio, USB video, a 7-inch high-res touch screen and more to your Audi.




	model year 2007 - 2015 • RHD version available as well Vehicles with MMI navigation and navigation plus			
Compatible	A4 / S4 / RS4 (8K), A5 / S5 / RS5 (8T) and A5 cabriolet (8F) LHD model year 2007 - 2015 • RHD version available as well			

X703D-A4 Premium Navigation System























For BMW 3 (E46)

BMW E46 with original navigation system (Business). Vehicles with original tape deck or CD radio will require additional installation parts from BMW. Vehicles with BMW sound system may require an additional interface.

iLX-702E46 Premium Multi-Media System

7" Apple CarPlay androidauto iPhone | iPod Spotify dob+ & Hami


KWE-E46EXT

Required for BMW E46 with original radio/ navigation receiver in the trunk.

For Smart Fortwo/Forfour


Compatible	Cars with standard radio and without sound system.
Not compatible	Cars with original Navigation System.

KIT-W997SMTB + iLX-702D Smart System Set (Black) KIT-W997SMTW + iLX-702D Smart System Set (White)














For SEAT Leon

Compatible	Leon 3 / ST / SC / SC Cupra (5F) model year 2012 - 2016			
Not compatible	Vehicles with SEAT sound system and			

iLX-702LEON Premium Multi-Media System



Spotify Sob+ () Hami

Compatible

For FIAT 500

This kit allows installation of the iLX-F903D in the Fiat 500 (312) and includes the frame, a DAB antenna and all needed cables and interfaces.

Fiat 500 (312) model year 2007 - 2015

KIT-F9FI-312B Installation Kit Black KIT-F9FI-312G Installation Kit Grey

KIT-F9FI-312I Installation Kit Ivory



8-inch Premium Navigation Systems



- · Steering Wheel Remote Control Ready
- · Vehicle Data-bus Interface Ready
- 1x Rear AV Input
- · Anti-theft Security Code
- . Optional DVD Player Available

Built-in Navigation and Online Navigation

The X803D-U and INE-W720D feature a built-in iGO Primo Nextgen navigation system with pre-installed TomTom maps. Thanks to Apple CarPlay and Android Auto, you have the alternative of online navigation. Sporadic navigation users can simply use the online navigation of the iLX-702D for a more cost-efficient solution.





iGO Primo Nextgen with TomTom Maps

Apple CarPlay Maps

3 years free-of-charge map updates

Within the first 3 years of using your iGO Primo Nextgen navigation, you can visit www.alpine.naviextras.com to download TomTom map updates free of charge.





DVE-5300 EXTERNAL DVD PLAYER



· DVD+R/+RW





X800D-U ADVANCED NAVI STATION



· FLAC Playback

(24/96 and 24/192 Compatible)

· 4 x 50W High Power Amp

. Built-in DAB+ Tuner

 BASS ENGINE SQ • 3 PreOuts

Crossover

. Alpine Tunelt App Ready

 WMA/MP3/AAC Playback . USB Video Playback (MP4)

. Dual 9-band Parametric EQ . 6-Channel Digital Time Correction

. GPS and Glonass Compatible

. iGO Primo Nextgen Navigation . TomTom Maps for 48 Countries

. HDMI Input / Output

. 3 years free of charge map updates . GPS / Glonass Antenna Included









City Maps

· HDMI Input








· Anti-theft Security Code

· USB Cable Included









Built-in DVD Player

Enjoy movies while your car is parked or play back CDs. The built-in optical drive is compatible with all commonly used disc and audio

Built-in DAB+ Tuner

The built-in DAB, DAB+ and DMB tuners




- 8" (20,3 cm) WVGA Touch Screen
- · iPod Video Playback (requires KQJ-461M
- DVD±R/±RW/DivX Playback
- · USB Video Playback · Dual Zone Playback
- 4 x 50W High Power Amp
- . CD-R/-RW/WMA/MP3/AAC Playback
- . Built-in DAB/DAB+/DMB Tuner · Alpine Tunelt App Ready
- . BASS ENGINE SQ
- · 3 PreOuts (4 Volts)

- · 9-band Parametric EQ • 10 Sound Pre-Sets
- · 6-Channel Digital Time
 - Correction Crossover
 - MediaXpander
 - · 24-bit DAC
 - · iGO Primo Nextgen navigation · 48 European Countries
 - Covered . Built-in TMC Tuner
 - · Voice Guidance in 29 Languages
 - · Text to Speech · 3D Landmark Icons and
- . Digital Optical Output · Made for iPhone and iPod USB Connection
 - . Built-in Bluetooth® Module · Direct Camera Input

· GPS Antenna Included

- . DVB-T Tuner Ready . Steering Wheel Remote Control
- Ready · Vehicle Display Interface
- Ready · 2x Rear AV Input, 1x Output
- · Microphone Included




deliver high digital sound quality. If DAB is not available, the tuner automatically switches to RDS. DAB antenna sold separately.






INF-W720D ADVANCED NAVI STATION

Product features and specs are identical to X803D-U, but includes a 7-inch (17,8 cm) display.





7-inch Navigation and Media Systems

Use the latest smartphone apps with Apple CarPlay and Android Auto.



0

Spotify

Stream and browse millions of songs in your car.



Google Play Music

Enjoy and control all your Google Play Music content.



Amazon Music

Got an Amazon Music account? Enjoy your content in the car.



Waze

Be part of the community and navigate online with



WhatsApp

Send and receive messages with your voice assistant while you drive.



Google Maps

Use Google Maps for online navigation, satellite view and traffic info.



Voice Assistant

Use Apple Siri or Google Assistant to ask for directions, weather forecasts, compose messages, add calendar entries and much, much more. Simply activate voice assistant with the VOICE button.



Product features and specs are identical to X800D-U, but includes a 7-inch (17,8 cm) display.

Truck and Camper Versions

Caravans and trucks require special map databases to input the vehicle's measurements, weight, cargo type and if a trailer is used or not. These conditions are then calculated in to avoid route results that are inappropriate for this vehicle.

Google Maps

WhatsApp AmazonMusic

Product features and specs are identical to X803D-U, but includes a 7-inch (17,8 cm) display and excludes the iGO Primo navigation with

12:25

0

il X-702D DIGITAL MEDIA RECEIVER









INE-W720DC 7* Navi Station with Trucking Database				
X803DC-U	8* Navi Station with Trucking Database			
X903DC-F	9° Freestyle Navi with Trucking Database			







6.5-inch Navigation with Smartphone Connectivity

INF-W611D

ADVANCED NAVI STATION

W 4Vmout 2xUSB



· 2x USB port

· FLAC Playback

DVD±RV±RW/DivX Playback

(24/96 and 24/192 Compatible)

. Works with Apple CarPlay

. Works with Android Auto

· 4 x 45W Power Amp

Built-in DAB+ Tuner

· USB Video Playback

• 3 PreOuts (4 Volts)

DivX Playback

WMA/MP3/AAC Playback

(MP4, h246, MKV, AVI)



• 6.5" (16.5 cm) WVGA Touch Screen • 6-Channel Digital Time Correction



· 9-band Parametric EQ

• iGO Primo Nextgen

. TomTom Maps for 48 Countries

. Steering Wheel Remote Control

. Built-in Bluetooth® Module

Crossover

Navigation

HDMI Input

Ready

2x Camera Input

. 1x Rear AV Input

· Anti-theft Security Code





6.5"



androidauto

Stay Connected

The INE-W611D works with Apple CarPlay and Android Auto to use vehicle approved apps in your car.



Built-in DAB+ Tuner

The built-in DAB+ tuner delivers excellent digital sound quality. Optional DAB antenna required (see page 19).



Dual USB Port

Connect 2 USB devices for more flexibility. Connect your phone on port 1 and a USB stick or HDD on port 2.



10.2

Built-in DVD Plaver

Enjoy movies while your car is parked or play back CDs. The built-in optical drive is compatible with all commonly used disc and audio compression formats.



IVE-W560BT 2-DIN MOBILE MEDIA STATION



• 6.2" (15.7cm) WVGA Touch

DVD±R/±RW/ Playback

. 4 x 50W High Power Amp

CD-R/-RW/WMA/MP3

· iPod Video Playback

· USB Video Playback

JPEG Photo Viewer





Playback



· 2 PreOuts (2 Volts)

· 3-band Graphic EQ

10 Sound Pre-Sets

Crossover Settings

. Made for iPhone and iPod

USB Front Connection

• 24-bit DAC













· Anti-theft Security Code

· Rotary Volume Knob

(3 languages)

Blue Illumination



- . 1x AV Input (front, 3.5mm), 1x AV Output
 - · Steering Wheel Remote Control Ready (Analogue only)
 - · Remote Control Ready



PKG-RSE3HDMI

10.2" WSVGA OVERHEAD MONITOR WITH DVD PLAYER







- Rip-Down · 2 HDMI Inputs,1 USBPort,1 AV Input
- . DVD-R/-RW Compatible
- . AVI, MPEG, MP4, RMVB, MP3, WMA, AAC, Xvid and JPEG Playback



· 2ch Antenna Diversity System

· Remote Control Included

· Active Screen Antenna Included





- . Includes Console Shroud Covers in
- three Colours (Black, Grey, Gold)



SHS-N207

DUAL SOURCE

SHS-N107 SINGLE SOURCE WIRELESS HEADPHONES Single channel wireless headphones for use with PKG-RSE3HDMI



DV3T2

TUE-T220DV DVB-T2 RECEIVER

- DVB-T2 support including HEVC (H.256)
- . Analogue AV, HDMI and RCA S/PDIF
- Output
- . Dolby Digital 2 Channel Down-mix
- · Multi language Interface
- · Touch Control Ready
- . EPG / Tele Text



KAE-205DV

ACTIVE DVB-T SCREEN ANTENNA SET

- . Full VHF and UHF Reception (40-800MHz)
- Amplification +16dB
- . 5m Cable with F-Type Plugs



FREESTYLE WhatsApp AmazonMusic

Freestyle by Alpine: Customise Your Dash

You have the idea - we have the system: Freestyle by Alpine includes all components for your custom install. We offer the Freestyle system in a 9-inch and 7-inch touch-screen configuration. Bring high-end navigation, Apple CarPlay, Android Auto and much, much more to your ride, for which there was simply no system available - until now.

X903D-F

9-INCH FREESTYLE NAVI STATION



. Works with Apple CarPlay

. Works with Android Auto

. Dual Zone Playback (HDMI)

. FLAC Playback (24/96 and

. 4 x 50W High Power Amp

24/192 Compatible)

. Built-in DAB+ Tuner

BASS ENGINE SQ.

• 3 PreOuts

. Alpine Tunelt App Ready

WMA/MP3/AAC Playback

USB Video Playback (MP4)

. Dual 9-band Parametric EQ



Crossover

















- 9" (23cm) WVGA Touch Screen 6-Channel Digital Time Correction 1x Rear AV Input
 - · Anti-theft Security Code · 3 user interface designs
 - selectable
 - TomTom Maps for 48 Countries USB Cable Included
 - DVB-T Tuner Ready
 - · Optional DVD Player Available
 - . 3D Landmark Icons and City Maps · GPS / Glonass Antenna Included

· GPS and Glonass Compatible


· iGO Primo Nextgen Navigation

. 3 years free of charge map

- . HDMI Input / Output
- . Built-in Bluetooth® Module
- · Bluetooth® Audio Streaming
- · Direct Camera Input
- · Vehicle Data-bus Interface Ready

Interchangeable Keys

The 2 key panels can be installed horizontally or vertically, depending on the installation position. The key positions can also be assigned individually due to the interchangeable buttons.







Adjustable Illumination

You can easily adjust the illumination colour of the control buttons to 6 different colours to match the Freestyle system to your dashboard illumination.



X703D-F 7-INCH FREESTYLE NAVI STATION

7-inch display version of the Freestyle system. All other features and specs are identical to the X903D-F.

Free map updates within first 3 years!

Within the first 3 years after the navigation system's first GPS fix, you can go to www.alpine.naviextras.com to download new navigation map updates fully free-of-charge. After that you can purchase map updates country by country or as packages based on your needs.



www.alpine.naviextras.com









Alpine Advanced Dash Cams

A dash cam is an on-board camera that continuously records the view through the vehicle's front windshield. The recorded footage can be used as evidence in the event of a road accident. When parked, dash cams can capture video and picture evidence if vandalism is detected. Aloine offers a high-end dash cam that includes drive assist functions, as well as a regular recording model. There are optional rear accessory cameras available for both models.







Best Quality Drive Recording

The DVR-F800PRO records in 1080p Full HD with 30 frames per second and features the Sony Exmore Starvis image sensor for excellent recording quality even at night. GPS geo-information and driving speed are recorded



- 1080p Full HD Recording
- Amazing Night View
- GPS Geo-Information
- WiFi Streaming to Smartphone



DVR-F800PRO

ADVANCED DRIVE-ASSIST DASH CAM

• 1080o Full HD recording • Sonv Exmore image sensor • Excellent night image quality . Driver support features . Built-in GPS . Includes 32GB micro SD card



RVC-R800

REAR ADD-ON CAMERA FOR DVR-F800PRO

. Compatible with DVR-F800PRO . For rear surveillance while driving and in parking mode



Driver Warnings and Support (DVR-F800PRO only)

This camera is packed with additional technology to support you while driving and keep you safe. Lane departure warning alerts you if your vehicle moves out of its lane. Forward Collision Warning helps to prevent or reduce the severity of a collision. Front Vehicle Departure Notification lets the driver know the vehicle in front is pulling away from an intersection. You can also upload a speed camera database to the DVR-F800PRO to receive warnings when you approach a speed camera or red light camera.





- Speed Camera Alert
- Lane Departure Warning
- Forward Collision Warning
- Front Vehicle Departure Notification



Day and Night Vehicle Surveillance

The DVR-F800PRO and DVR-F200 include parking mode that keeps your car under surveillance even at night. If any impact by another car, bike, etc is noted, the camera will store this video footage and you can review it later to identify and proof what happened.



Dash Cam Viewer for PC and MAC OS

The Alpine Dash Cam Viewer is a free-of-charge download and allows you to view your recorded videos and see important information such as GPS location, crash sensor data and driving speed at the time of recording. Available for Microsoft Windows 7, 8 and 10 and MAC OS 10.x







DVR-F200 ADVANCED DASH CAM

- . 1080p Full HD recording . CMOS image sensor . Excellent night image quality
- . GPS antenna included . Includes 16GB micro SD card



RVC-R200

REAR ADD-ON CAMERA FOR DVR-F200

· Compatible with DVR-F200 · For rear surveillance while driving and in parking mode





RVC-I200IR

NIGHT VISION CABIN CAMERA FOR DVR-F200

. Compatible with DVR-F200 . For surveillance of interior (for example taxis or motorhomes) or while your car is parked . Infra-red camera lens and 2 IR LEDs






DVM-64SD

MICRO SD CARD (64GB) FOR DVR-F800PRO AND DVR-F200



High Dynamic Range Cameras for Greater Safety


Alpine's all new HDR cameras are simply amazing and offer many new technologies that make manoeuvring your vehicle easier and safer.




- Amazing night-view capabilities in low-light environments
- Fast exposure adjustment when moving from dark to bright environments (for example underground parking, tunnels, etc)
- New, small connectors for easy installation of camera and cables



- Switch between front, rear and side view cameras
- Optional centre line helps to align with your trailer hitch-ball











HCE-C2600FD MULTI-VIEW FRONT CAMERA

• 3 viewing modes • High-res camera • Ultra-wide angle camera • Viewing Angle H180°, V125° • Non-mirrored image

Intelligent front cameras contribute greatly to driving safety: when set to Corner Mode, you are able to see around corners when driving out of narrow alleys or similar into busy streets.



Panorama View





Ground View





HCE-C2100RD MULTI-VIEW REAR CAMERA

4 viewing modes • High-res camera • Ultra-wide angle camera • Viewing Angle H180°, V125° • Mirrored image

This multi-view HDR rear camera system provides parking safety with cutting-edge camera technology and full touch-screen operation including 4 viewing modes.





Rear View



Panorama View

























HCE-CS1100 SIDE VIEW CAMERA

· For side installation of your vehicle · High-res camera · Ultra-wide angle camera . Viewing Angle H82,7°, V60,5° . Non-mirrored image



HCE-C1100 REAR VIEW CAMERA (RCA)

• Distance guides • High-res camera • Ultra-wide angle camera • Viewing Angle H131°, V103° . Mirrored image



HCE-C1100D REAR VIEW CAMERA (DIRECT)

• Distance guides • High-res camera • Ultra-wide angle camera • Viewing Angle H131°, V103° . Mirrored image



KCX-C250MC MULTI CAMERA INTERFACE

. Connects up to 3 cameras . Works with Alpine Direct Cameras . Touch control of all camera views from the touch screen



KCX-C2600B MULTI CAMERA SWITCH BOX

· Allows connection and control of a front and rear multi-view camera



KWE-EX5CAM

5 METER CAMERA EXTENSION CABLE

KWE-EX20CAM 20 METER CAMERA CONNECTION CABLE



KIT-R1DUC

REAR CAMERA INSTALLATION KIT FOR FIAT DUCATO 3

. Compatible with Fiat Ducato 3, Citroen Jumper, Peugeot Boxer . Allows clean installation of Alpine HDR rear camera . Re-uses original 3rd brake-light



KIT-R1MHU

UNIVERSAL MOTORHOME CAMERA HOUSING

- . Compatible with Alpine HCE-C2100RD · Adjustable camera dome with swivel
- function . Waterproof seals

1 DIN Head Units with Superior Sound Features


















































DAB+











DAB+

USB Compatible

Built-in Bluetooth® Module























































CDE-201R CD RECEIVER / USB CONTROLLER

Product features and specs are identical to CDE-203BT (excludes Bluetooth® / iPod / iPhone support), and features dual illumination (green / red), USB charging supports up to 500mA.



Featrure Comparison	CDE-178BT	CDE-205DAB	CDE-193BT	UTE-92BT	CDE-W296BT	UTE-204DAB	UTE-202DAB	CDE-203BT	CDE-201R	UTE-200BT
USB port	Rear	1000mA	500mA	1000mA						
DAB / DAB+ Tuner	*	•		*	¥	•	•			-8
Remote Control Ready		•	0	•	•	0	•	•		
Steering Wheel Remote Control Ready	•	•	•		•	•	•	•	•	•
HPF / LPF	3-Way X-Over	•	3-Way X-Over	3-Way X-Over	3-Way X-Over	•	•	•	•	•
Parametric EQ	9-Band	3-Band	9-Band	9-Band	9-Band	3-Band	3-Band	3-Band	3-Band	3-Band
Android Open Accessory 2.0	7.	•	7.	*:				•	•	
MP3 / AAC / WMA Playback			•				•	•	•	•
FLAC Playback			•	•		•		•	•	
iPod / iPhone Compatible			•			•		•	980	•
Bluetooth®		•	•		•	•	*3	•		
MediaXpander			•	•	•		*		H*X	•
Vehicle Display Interface Ready		6		•	*	94	*:		-11	*
CD Drive	•	•	•	53		18.1	51	•	•	50
Button Illumination Colour	Blue/Red/ Green/Amber	RGB	Red / Green	RGB						
Display Illumination Colour	White	RGB	White	RGB						
Built-in Amplifier	4 x 50W	4 x 50W	4 x 50W	4 x 50W	4 x 50W	4 x 50W	4 x 50W	4 x 50W	4 x 50W	4 x 50W
RCA Outputs	3 PreOuts (4 Volts)	3 PreOuts (2 Volts)	3 PreOuts (2 Volts)	3 PreOuts (2 Volts)	3 PreOuts (2 Volts)	3 PreOuts (2 Volts)	3 PreOuts (2 Volts)	2 PreOuts (2 Volts)	2 PreOuts (2 Volts)	2 PreOuts (2 Volts)



- . 1 PreOut (CH8 signal), 2V RMS
- · 8-channel digital time correction and crossover · 20Hz to 22kHz frequency response range

8-CHANNEL DIGITAL DSP AMPLIFIER

- 240-band parametric EQ (1/3 Octave)
- 1 x optical input (12 to 96kHz / 16 or 24bit)
- · Wireless smartphone connectivity

• 8 x 100W RMS @ 4Ω (<1% THD)

• 8 x 120W RMS @ 2Ω (<1% THD+N)

- . Remote-in & Auto Sensing
- 6 x analog inputs (pre-amp or speaker level) 1 remote out (12V, 100mA)
 - . Burr-Brown ADC (SNR >105dB, 24bit

 - · Start-stop engine non-shutdown design

Key Features:

Professional sound tuning for any vehicle

Full flexibility with 6 input channels for high- and low power signals, as well as 8 output channels for extensive system building.

Audiophile tuning features

Get 30 bands of Parametric EQ per channel, as well as 8 channel digital time correction and crossover for expert sound tuning.

Wireless System Control

Control key functions via smartphone app and wireless connection for real-time adjustment.

Compact size

The small footprint and size of the DSP amp makes it easy to install anywhere in the vehicle. Measurements: 205mm x 150mm x 50mm.

Pure Class-D technology

Once an analog input signal is converted to digital, it remains fully digital throughout the entire processor and amplification stage.

Start-Stop engine unaffected

The DSP amp will remain in full operation if your car is running on start-stop mode.

Setup and sound tuning by PC

Download the Alpine configuration software and connect your PC via USB to the DSP amp. You can control the full channel setup for inputs and outputs in the graphical user interface and adjust all sound settings from Parametric EQ, digital time correction to crossover settings. Compatible with Windows XP, 7, 8 and 10.

Get the Alpine Remote App

Download the Alpine Remote App to your Apple or Android smartphone and connect it to the DSP amplifier via WiFi connection. This app allows you to adjust volume, subwoofer level, source selection and load presets in real-time. The Alpine remote app is available free of charge in the Apple App Store and Google Play store.







digitalradio 🔽



Easy DAB Digital Radio for Any Car



EZi-DAB-BT

ADD-ON DAB+ RECEIVER WITH BLUETOOTH® HANDS-FREE





• 2 x USB client / 1 x USB host

· Remote control port for optional bass knob · RUX-KNOB2 ready (adapter included)



EZi-DAB-GO ADD-ON DAB+ RECEIVER





DAB, DAB+ & FM Radio

Listen to your favorite DAB, DAB+ via FM transmitter or AUX input

20 Station Presets

Quickly select up to 20 DAB stations of your choice

Bluetooth® Audio Streaming

Play any music wirelessly from your smartphone

Hands-free Calling (EZi-DAB-BT only)

Wireless hands-free calling over Bluetooth® (includes microphone)

Go Button

Discover, tag and play music on the move using the Go companion app

Personal Assistant

Access your smartphone's online features through Siri or OK Google voice control

Spotify Control

Control Spotify from the device, choose playlists, artists, songs and more

Easy to install

Simple, self-fit wireless display and controller



Download the free-of-charge companion app from the Apple App Store or Google Play to connect your phone wirelessly to your EZi-DAB. This enables Bluetooth® audio and Spotify* streaming and control. Use your EZi-DAB to send voice commands to your phone via SIRI

or OK Google and simply tag songs you hear and like on DAB radio to create a playlist of your favourite songs in your phone to purchase them later on.





^{*} Spotify streaming requires a Spotify premium account.



4.1 CHANNEL DSP WITH POWERED SUBWOOFER







- Nominal Power Output: 4 x 25W + 165 Watts (mono) Wired Remote Control Peak Power Output: 4 x 50W + 240 Watts (mono)
- · Frequency Response: 20Hz 20kHz
- . Speaker level inputs with remote ON detection
- · 4-channel RCA inputs
- · 2 USB ports
- . Bluetooth® Audio streaming
- - · Free-of-charge Smartphone app and PC software
 - 10-band Parametric EQ
 - · Digital Crossover
 - . 15 audio pre-sets selectable
 - · Wiring kit included


All-In-One Sound Upgrade for Any Vehicle

Achieving a perfectly integrated, high-performance car audio installation with only one device is now possible with the new Alpine PWD-X5. This very unique sound system upgrade product includes a high-performance Digital Sound Processor (DSP), 4-channel amplifier for your front and rear door speakers, as well as an ultra-flat active subwoofer. The small footprint allows the PWD-X5 to be easily installed inside the car's cabin to enjoy a nice bass upgrade.

Compact installation

The very compact measurement of only 350mm length x 245mm width x 80mm height allows the PWD-X5 to be installed under the front seats of many vehicles.





Extensive sound tuning functions

Use the built-in 10-band Parametric EQ, digital time correction and digital crossover to tune the sound of your vehicle. You can do the main setup by connecting a PC using the free Alpine software or via the included wired controller.

Wide connectivity options

You can connect the PWD-X5 to an Aftermarket radio using RCA inputs. If you have an original radio in your car that has no RCA connections, you can connect it to the DSP amplifier using the high-power inputs.

Bluetooth® Audio Streaming | Bluetooth®



With the included Bluetooth® donale

that can be plugged in to one of the USB ports on the DSP amp, you can stream music from your smartphone to the PWD-X5.

Get the Smartphone App

You can download the Alpine companion app for the PWD-X5 from Google Play and the Apple App Store free of charge.









EZi-DAB-ONE

ADD-ON DAB+ RECEIVER



ALIX IN

- Built-in DAB/DAB+ receiver
- · Easy, do-it-yourself installation · Service following
- · AUX input for mobile devices
- · AUX output for radio connection
- FM transmitter
- · 20 presets
- Dual-colored display
- · Wired control unit
- Backlit buttons



TUE-DAB1U

MOBILE DAB/DAB+ RECEIVER

- . Mobile DAB/DAB+ receiver with direct touch control
- · 6 user interface languages selectable · Touch Control Ready (English, German, French, Italian,

 DAB antenna sold separately Danish, Norwegian)

· 24V Compatible

- · Automatic channel search
- · Alphabetic channel sorting
- . Slide Show display (if supported



KAE-232DA

DAB ANTENNA

- . Structure: Bar Type, self-adhesive
- Frequency Ranges: band-IIVL: 170-240MHz / 1452-1495MHz
- . Supply: 5-12V (25mA), receiver (phantom) supplied
- Impedance: 50Ω
- . Connection: 5m low-loss cable with angled SMB(f) plug
- · Dimensions: 13 x 183mm



KAE-242DA

DAB ANTENNA

- . Structure: Foil Type, self-adhesive
- Frequency Ranges: band-III/L: 170-240MHz / 1452-1495MHz
- . Supply: 5 12V (30mA), receiver (phantom) supplied
- Impedance; 50Ω
- . Connection: 3.5m low-loss cable with angled SMB(f) plug
- Dimensions: 40 x 170mm



An Audiophile Sound Experience

The Alpine X-Series high-grade speakers and amplifiers have been engineered and tuned to create a perfect match for extraordinarily dynamic, realistic sound reproduction and a spatial sound impression. With Alpine X-Series components, you can enjoy Hi-Res Audio playback up to 40kHz with stunning detail and dynamic range.







Instead of using a regular silk dome tweeter, Alpine chose an all-new carbon graphite hard dome tweeter design. This lightweight tweeter dome features improved high range response up to 40kHz to deliver highest sound detail.



All New Motor Structure

By using a powerful neodymium magnet in a radial configuration, we could achieve a very compact motor assembly for a high vehicle compatibility rate. The radial magnet configuration drastically increases magnetic efficiency - resulting in high dynamic output and power handling.



Nano-Fibre Cone

The woofer cone consists of an all new nano-fibre material to achieve a very fast response speed and dynamic output, while keeping high clarity and realistic sound reproduction.



HAMR Surround

The High Amplitude Multi-Roll (HAMR) surround allows a maximum, linear cone excursion for high SPL, while maintaining full control over the diaphragm at any excursion stage for highest sound clarity.



	Peak Power	k Power RMS Power	RMS Power Nominal Handling Impedance	Frequency Response	Dimensions (mm)			
	Handling	Handling			A	В	С	D
X-S65C 6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER	360W	120W	4Ω	60Hz-40KHz	165	8	59	137
X-S65 6-1/2" (16.5cm) COAXIAL 2-WAY SPEAKER	330W	110W	4Ω	60Hz-40KHz	165	8	59	137
X-S69C 6x9" (16cm x 24cm) COMPONENT 2-WAY SPEAKER	360W	120W	4Ω	60Hz-40kHz	119 x 167	9	78	148 x 223







The all-new X-Series amplifiers set a new standard for sound quality performance and power output in a very compact design.

All Digital Design

Compact and Powerful: the new digital amplification circuit allows very high power output while keeping a small footprint.

Smart Installation

We fully redesigned the speaker and power supply terminal connectors. This very compact design allows clean and simple installation with lossless connectivity.

Sound Quality Performance

The new X-Series amps are designed for true Hi-Res Audio playback, featuring ultra-low distortion and a wide frequency range.

Thermal Management

The new heat sink design uses the chimney effect to move cold air over the heat sink and transfers heat away from the amp. Combined with IC controlled overheating protection, the X-Series amps play without shutdown from overheating.



	X-A90M	X-A70F	X-A90V
Output Channels	Mono	4 Channels	5 Channels
Max Power Output	1800W	1400W	1800W
RMS Power Output	1 x 900W (2Ω)	4 x 175W (2Ω)	4 x 100W + 1 x 500W (2Ω
[@14.4V 1%THD]	1 x 600W (4Ω)	4 x 120W (4Ω)	4 x 75W + 1 x 300W (4Ω)
Amplification Circuit	Class-D	Class-D	Class-D



Common Features: Selectable Variable HP filter (4 and 5 channel models only) • Mono amps provide Variable LP, Selectable Subsonic Filters (mono only) • Remote Bass Knob Ready (mono and 5ch only) • Thermal and Low Voltage Protection • Ultra Wide Frequency Response Range • Quick Connectors for Speakers and power terminal

WWW.

Introducing the ultimate subwoofer: this monster sub is designed to handle power - a lot of power: 2700 Watts peak, to be exact.

All New Design

The X-Series subwoofers are newly designed from the ground up to perfectly match the new X-Series amplifiers and to include the latest improvements in materials and technologies. The new concealed mounting system hides the screws and creates an air-tight seal for great looks and improved reliability. Available in 12-inch and 10-inch configuration, these subwoofers are class-leading in terms of bass output and clarity.

Voice Coil Cooling System

A venting system forces hot air out and cool air in, keeping the voice coils cool. Better cooling means better performance and longer life.

	Peak Power	RMS Power	Nominal	Frequency	Dimensions (mm)	
	Handling	Handling	Impedance	Response	Α	В
X-W12D4 12" (30cm) SUBW00FER	2700W	900W	4Ω+4Ω	22-400Hz	281	184
X-W10D4 10" (25cm) SUBW00FER	2700W	900W	4Ω+4Ω	24-400Hz	229	172



Recommended	Sealed Enclosure		Vented Enclosur	e
Enclosure	Recommended	Recommended Volume	Round Port Dia. x L (cm)	Slot Port W x H x L (cm)
X-W12D4	25,5 L	51,0 L	10,2 x 40,6	35 x 2,33 x 40,6
X-W10D4	18,4 L	39,7 L	8,9 x 44,5	30 x 2,1 x 44,5

Common Features: Pulp/Mica layered cone • Polypropylene dust cap • Concealed mount gasket • Rubber HAMR surround • Tripple-Stacked Ferrite magnet (Y35) • 28mm Xmax • Dual shorting rings



Powerful Bass and High Clarity

R-Series speakers and amps are engineered to deliver prodigious power while maintaining extreme sound clarity for totally exciting sound.

They provide high power output and handling, wide frequency response and a powerful bass. The R-Series line includes component and coaxial speakers, subwoofers and for the first time, amplifiers.





Meet the 2nd generation of R-Series speakers: packed with many improvements for improved sound quality and bass performance.

Re-Engineered For Highest Performance

The 2nd generation of R-Series speakers include many improvements. We increased the voice coil diameter from 30 to 35mm, while the magnet diameter was also increased. This results in a stronger motor structure with a more powerful bass output. The cone material was switched to CFRP, which is 3 times stronger than aluminum at the same weight. The benefit is a much higher dynamic and clarity of the speaker.



Easy To Install Network

The external network is very compact and easy to install. Simply slide open the cover to gain access to the tweeter level adjustment (0dB / -2dB / -4dB / -6dB). This ensures a perfect balance between woofer and tweeter level in your car.



HAMR Surround

The High Amplitude Multi-Roll (HAMR) surround allows a maximum, linear cone excursion for high SPL, while maintaining full control over the diaphragm at any excursion stage for highest sound clarity.



Hi-Res Audio Tweeters

The new R-Series speakers are designed for true Hi-Res Audio reproduction, featuring a frequency range of up to 40kHz.






		Peak Power	RMS Power	Nominal	Frequency		Dimensi	ions (mm)		
		Handling	Handling	Impedance	Response	A	В	С	D	L
R-S69C.2	6"x9"(16cmx24cm) COMPONENT 2-WAY SPEAKER	300W	100W	4Ω	60Hz-40kHz	167 x 119	11,1	73,5	149,5 x 220	c
R-S65C.2	6-1/2"(16.5cm) COMPONENT 2-WAY SPEAKER	300W	100W	4Ω	60Hz-40kHz	110,3	12,1	59	136,5	
R-S69.2	6"x9"(16cmx24cm) COAXIAL 2-WAY SPEAKER	300W	100W	4Ω	60Hz-40KHz	167 x 119	11,1	73,5	149,5 x 220	
R-S65.2	6-1/2"(16.5cm) COAXIAL 2-WAY SPEAKER	300W	100W	4Ω	65Hz-40kHz	110,3	12,1	59	136,5	
SPR-50C*	5-1/4" (13cm) COMPONENT 2-WAY SPEAKER	300W	100W	4Ω	70Hz-29kHz	139	9,9	57	118	
SPR-50*	5-1/4" (13cm) COAXIAL 2-WAY SPEAKER	270W	90W	4Ω	70Hz-29kHz	139	9,9	57	118	Al



^{*} Previous generation model





High Performance and Sound Quality

R-Series amplifiers are built on the X-Series Alpineproprietary circuit design, that achieves class-leading power density and reliability while performing at the top of its class. By simplifying the circuit topology, Alpine is able to ensure the cleanest possible signal path. This clever



design results in a frequency response that meets the Hi-Res audio standard of 40kHz. They maintain a very low phase shift throughout the music spectrum, which allows your music to stay faithful to the original recording. The amps also include many Alpine custom internal components to achieve excellent sound quality.

	R-A75M	R-A60F
Output Channels	Mono	4-Channels
Max Power Output	1500W	1200W
RMS Power Output [@14.4V 1%THD]	1 x 750W (2Ω) 1 x 500W (4Ω)	4 x 150W (2Ω) 4 x 100W (4Ω)
Amplification Circuit	Class-D	Class-D








Common Features: Input Gain adjustment 0.1V-4V (R-A75M), 0.2V-4V (R-A60F) • Bass EQ (R-A75M only) • Selectable Variable HP filter at Bandpass filter (R-A60F only) • Mono amp provides Variable LP Filter & Selectable Subsonic Filters • Pernote Bass Knob Ready (R-A75M only)

- Thermal and Low Voltage Protection Heavy gauge power terminal
- · RCA low and high power speaker inputs



The Next Evolution of Proven Performance

Although the R-Series subwoofers are new for 2019, they actually come from an impressive Alpine lineage – the Type-R subwoofers. Type-R subwoofers have been known for their power handling, clean output and deep bass excursion. Using the highly successful Type-R subwoofers as a foundation, we applied various performance and hardware improvements to the design, essentially transforming them into the new R-Series subwoofers.

		Peak Power	RMS Power	Nominal	Frequency	Dimensio	ins (mm)
		Handling	Handling	Impedance	Response	A	В
SWR-8D2*/-8D4**	8" (20cm) SUBWOOFER	1000W	350W	*2Ω+2Ω **4Ω+4Ω	30Hz-200Hz	176	115
R-W10D2*/-10D4**	10" (25cm) SUBWOOFER	2250W	750W	*2Ω+2Ω **4Ω+4Ω	26Hz-200Hz	230,5	149
R-W12D2*/-12D4**	12" (30cm) SUBWOOFER	2250W	750W	*2Ω+2Ω **4Ω+4Ω	24½-200Hz	275	161,8
SWR-1522D*/-1542D**	15" (38cm) SUBWOOFER	2000W	750W	*2Ω+2Ω **4Ω+4Ω	"18Hz-400Hz ""20Hz-400Hz	348,6	234



Common Features: Kevlar-Reinforced Carbon Fibre Cone • Aluminium honeycomb • High-efficiency thermal management • High-Amplitude Multi-Roll Surround • Heavy-gauge push terminals

Recommended Enclosure	Sealed Enclosure		Vented Enclosure	
Recommended Enclosure	Recommended	Recommended Volume	Round Port Dia. x L (cm)	Slot Port WxHxL(cm)
SWR-8D2/-8D4	8,5 L	19,8 L	7 x 47	6,2 x 6,2 x 47
R-W10D2/-10D4	17 L	39,6 L	9 x 25	6 x 12 x 37
R-W12D2/-12D4	25,5 L	53,8 L	10 x 33	11 x 9 x 51
SWR-1522D/-1542D	49,6 L	82,1 L	2 ports of 10 x 39	10 x 15 x 45






Amazing Speakers to Fit Your Car and Your Budget

The all-new Alpine S-Series speakers deliver amazing sound quality and go easy on your wallet. They feature the Alpine HAMR surround for high linearity and accuracy, as well as a new patented CFRP cone for excellent clarity and responsiveness.

		Peak Power	RMS Power	Nominal	Frequency		Dimensi	ons (mm)	
		Handling	Handling	Impedance	Response	A	В	C	D
S-S65C	6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKERS	240W	80W	4Ω	70Hz-22kHz	153	12	58	128
S-S65	6-1/2" (16.5cm) COAXIAL 2-WAY SPEAKERS	240W	80W	4Ω	70Hz-22kHz	153	20	58	128
S-S50	5-1/4" (13.5cm) COAXIAL 2-WAY SPEAKERS	170W	55W	4Ω	80Hz-22kHz	129	16	50	114
S-S40	4" (10cm) COAXIAL 2-WAY SPEAKERS	140W	45W	4Ω	97Hz-22kHz	102	14	43	93
S-S69C	6x9" (16x24cm) COMPONENT 2-WAY SPEAKER	260W	85W	4Ω	65Hz-22kHz	167 x 60	8	75	222 x 150
S-S69	6x9" (16x24cm) COAXIAL 2-WAY SPEAKER	260W	85W	4Ω	65Hz-22kHz	167 x 60	8	75	222 x 150
S-S10TW	1" (2.5cm) SOFT DOME TWEETER	240W	80W	4Ω	1kHZ-22kHz	• ;	i i	10	N.





Optional Grilles

The S-Series speakers come without grilles. Optional grilles are available as shown here.

S-Series Spe	aker Grilles	
KTE-S65G	For use with S-S65C and S-S65	
KTE-S50G	For use with S-S50	
KTE-S69G	For use with S-S69C and S-S69	



All-new S-Series Amplifiers


Alpine introduces the all-new S-Series amplifiers, that are a perfect match to the S-Series speakers. These amps have an excellent Watts-per-Euro ratio in the Class-D category and feature a very high heat resistance and won't shut down due to overheating.



Common Features: Input Gain adjustment 0,2V-4V • Bass EQ • Selectable Variable HP filter (4 and 5 channel models only) • Mono amp provides Variable LP Filter • Remote Bass Knob Ready (mono and 5ch only) • Thermal and Low Voltage Protection • Heavy gauge power terminal • RCA low and high power speaker inputs



SPG-17CS COMPONENT 2-WAY SPEAKER 60.2 SPG-13CS COMPONENT 2-WAY SPEAKER 250W 65W 8.2 42.2 109.9 40 65Hz-20kHz SPG-17C2 COAXIAL 2-WAY SPEAKER 240W 60W 4Ω 68Hz-20kHz 9,9 60,2 SPG-13C2 COAXIAL 2-WAY SPEAKER 42,2 82Hz-20kHz SPG-69C3 COAXIAL 3-WAY SPEAKER SPG-69C2 COAXIAL 2-WAY SPEAKER 65Hz-18kHz 167 x 119 12,2 75,6 SPG-10C2 COAXIAL 2-WAY SPEAKER 101Hz-20Hz 117,1 13,5 42,5



Excellent Sound with High Power Handling

The Type-G Series of component and coaxial speakers are designed to sound great on head unit power. They have high performance soft dome tweeters and crossover networks, and are extremely easy to install.

High Power Handling

The new Type-G Series of component and coaxial speakers are designed and built to handle high power levels.

Ease of Installation

Snap Fit tweeter, swivel mount, and flush install bracket make installation easy. The crossover network is small and can be separated into two parts to further reduce size and allow use of factory wiring.

Good Sound Quality

They deliver good sound quality, due to a soft dome tweeter, square voice coil wire with Kapton VC bobbin and an audio tuned capacitor.



SWG-1244

SWG-1044

SWG-844



	Peak Power	RMS Power	Nominal	Frequency	Dimensi	ons (mm)
	Handling	Handling	Impedance	Response	A	В
SWG-1244 12" (30cm) SUBW00FER	800W	250W	4Ω	28Hz-1kHz	278	169
SWG-1044 10" (25cm) SUBW00FER	500W	150W	4Ω	33Hz-1kHz	235	141
SWG-844 8" (20cm) SUBWOOFER	400W	120W	4Ω	34Hz-1,5kHz	183	111





High Power, Great Value

This amp delivers high output power and exceptional performance for its class. A great way to expand your sound system on a limited budget.



		BBX-F1200	BBX-T600
Output Channels		4 Channels	2 Channels
	14.4V, 4Ω	4 x 50W (4Ω)	2 x 50W (4Ω)
Power (@14.4V 1%THD)	14.4V, 2Ω	4 x 70W (2Ω)	2 x 70W (2Ω)
(0.1.11.7,711.10)	BTL	2x130W (bridged)	1 x 130W (bridged)
Max Power Output		600W	300W
	Filter	Variable, OFF/LP/HP Selectable	Variable, OFF/LP/HP Selectable
Function	LP	50Hz - 500Hz -12dB/oct	50Hz - 250Hz - 12dB/oct
runction	HP	50Hz - 500Hz -12dB/oct	80Hz - 1.2kHz - 12dB/oct
	Bass EQ	OdB to +12dB Variable (3/4ch only)	0dB to +12dB Variable



Common Features: Input Gain adjustment 0,2V-8V, Bass EQ, Variable Filters HP&LP, Thermal Protection



Affordable Upgrading to Higher Performance.



The Type-E Custom Fit speakers allow easy, do-it-yourself installation in a wide range of cars. Offering impressive full-range performance, they can be powered from the head unit, so are a high-value choice for upgrading from factory speakers.

	Peak Power	RMS Power	Nominal	Frequency	Din	nensions (n	nm)
	Handling	Handling	Handling Impedance	Response			
SXE-2035S COAXIAL 3-WAY SPEAKER	280W	45W	4Ω	40Hz-20kHz	198,0	74	181,6
SXE-6925S COAXIAL 2-WAY SPEAKER	280W	45W	4Ω	40Hz-20kHz	117,5 x 166,5	79,5	150 x 219
SXE-5725S COAXIAL 2-WAY SPEAKER	200W	35W	4Ω	70Hz-20kHz	102,7 x 125,5	62	126 x 183
SXE-4625S COAXIAL 2-WAY SPEAKER	150W	20W	4Ω	90Hz-20kHz	72 x 129	37	85 x 142
SXE-1725S COAXIAL 2-WAY SPEAKER	220W	40W	4Ω	60Hz-20kHz	165	46	139
SXE-1325S COAXIAL 2-WAY SPEAKER	200W	35W	4Ω	70Hz-20kHz	129	48,5	114
SXE-1025S COAXIAL 2-WAY SPEAKER	180W	25W	4Ω	100Hz-20kHz	100	43	92
SXE-0825S COAXIAL 2-WAY SPEAKER	150W	20W	4Ω	120Hz-16kHz	87	35,5	72





	Peak Power	RMS Power	Nominal	Frequency	Di	Dimensions (mm)			
	Handling	Handling	Impedance	Response	A (Tweeter)	B (Tweeter)	C		
SXE-1750S COMPONENT 2-WAY SPEAKER	280W	45W	4Ω	60Hz-20kHz	165 (30)	46 (17,5)	139		
SXE-1350S COMPONENT 2-WAY SPEAKER	250W	40W	4Ω	60Hz-20KHz	129 (30)	48,5 (17,5)	114		
SXE-1006TW COMPONENT TWEETER	280W	45W	4Ω	4kHz-20kHz	(30)	(17,5)	30		





The Type-E subwoofers give you the bass boost you're looking for at prices that won't break your budget.



	Peak Power	RMS Power	Nominal	Frequency	Dimensi	sions (mm)	
	Handling	Handling	Impedance	Response	A	В	
SWE-1244E 12" (30cm) SUBWOOFER	650W	200W	4Ω	30Hz-500Hz	280	131	
SWE-1044E 10" (25cm) SUBWOOFER	500W	150W	4Ω	33Hz-800Hz	232	116	





SBE-1244BR/-1044BR READY TO USE BASS REFLEX SUBWOOFER BOX



8" (20cm) POWERED SUBWOOFER BOX

		Peak Power Handling	RMS Power Handling	Nominal Impedance
SBE-1244BR	12" (30cm) READY TO USE BASS REFLEX SUBWOOFER BOX (4Ω)	650W	200W	4Ω
SBE-1044BR	10" (25cm) READY TO USE BASS REFLEX SUBWOOFER BOX (4Ω)	500W	150W	4Ω
SWE-815	8" (20cm) POWERED SUBWOOFER BOX	150W	75W	2κ2Ω



Subwoofer Boxes for Deep, Resonant Bass

TEST WINNER
Top class 120-2001
CAR HIF16/2011
Alpine SBG-1244BR





SBG-1224BR/-1244BR SBG-1044BR SBG-844BR

READY TO USE BASS REFLEX SUBWOOFER BOX

The SBG ready-to-use box line is our most sold subwoofer in Europe. Customers appreciate the strong bass performance, stylish appearance and affordable price point.

	Peak Power Handling	RMS Power Handling	Nominal Impedance
SBG-1224BP 12" (30cm) READY TO USE BAND PASS SUBWOOFER BOX	800W	250W	2Ω
SBG-1244BP 12" (30cm) READY TO USE BAND PASS SUBWOOFER BOX	800W	250W	4Ω
SBG-1224BR 12" (30cm) READY TO USE BASS REFLEX SUBWOOFER BOX	800W	250W	2Ω
SBG-1244BR 12" (30cm) READY TO USE BASS REFLEX SUBWOOFER BOX	800W	250W	4Ω
SBG-1044BR 10" (25cm) READY TO USE BASS REFLEX SUBWOOFER BOX	500W	150W	4Ω
SBG-844BR 8" (20cm) READY TO USE BASS REFLEX SUBWOOFER BOX	400W	120W	4Ω



Blue illumination Window


Acrylic windows provide an inside view and the blue illumination adds a cool effect. Its fully enclosed structure ensures that nothing sliding around in the trunk damages the woofer.





SWT-12S4 12" (30cm) BASS REFLEX SUBWOOFER TUBE

	Peak Power Handling	RMS Power Handling	Nominal Impedance
SBG-30KIT HIGH PERFORMANCE SUBWOOFER PACKAGE	550W	250W	2Ω
SWD-355 12" (30cm) AMPLIFIED SUBWOOFER BOX	550W	150W	4Ω
SWT-12S4 12" (30cm) BASS REFLEX SUBWOOFER TUBE	1000W	300W	4Ω
PWE-V80 8" (20cm) POWERED SUBWOOFER BOX	150W	80W	8
PWE-S8 8" (20cm) POWERED SUBWOOFER BOX	240W	120W	9
SWE-1200 8" (20cm) POWERED SUBWOOFER BOX	150W	75W	(2)



www.alpine-europe.com

ALPINE ELECTRONICS (EUROPE) GmbH

Ohmstraße 4, 85716 Unterschleißheim, Germany Tel: +49 / (0) 89-32 42 64-0 Fax: +49 / (0) 89-32 42 64-241



Alpine Style Europe



AlpineEurope



Alpine Style Europe

Apple, iPhone, and iPod are trademarks of Apple Inc., registered in the U.S. and other countries. Apple CarPlay is a trademark of Apple Inc. App Store is a service mark of Apple Inc. Use of the Made for Apple and Works with Apple badges means that an accessory has been disigned to connect specifically to the Apple productly identified in the Made for Apple badge and to work specifically with the technology identified in the Works with Apple badge, and has been certified by the developer to meet Apple performance standard. Use of the Apple CarPlay logo meets a that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this develoc or its compilance with safety and regulatory standards. Please note that the use of this accessory with an Apple product may affect wireless performance. Android, Android Auto, Google, Google Play and other marks are trademarks of Google LLC. Unauthorized use is strictly prohibited. DivX, DivX. Certified and associated logos are trademarks of DivX, inc. and are used under license. The Bluetooth® word mark and logos are registered trademarks or Obx, inc. and are used under license. The Bluetooth® Sign. Inc. and any use of such marks by Alpine Electronics, Inc. is under license. The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of Microsoft Corporation in the United States and other countries. Windows Media and the Windows logo are trademarks of Microsoft Corporation in the United States and/or other countries. The words "Dolby Digital", "Pro Logic", 'Dolby', and the "Double-D' symbol are trademarks of Dolby Laboratories.' DTS and 'DTS Digital Surround' are registered trademarks of DTS, inc. and 'DTS 2.0 + Digital'Out" is a trademark of Google LLC &II rights reserved. Google and the Google logo are registered trademarks of Google ALC. © 2013 HERE. @2006-2016 TomTom. All rights reserved. Design, specifications and availability of Alpine products are subject to change w

* Spotify control requires a smartphone connection with Apple CarPlay or Android Auto, as well as an internet connection.

Printed in Belgium GBAOE19