

Music. Defined.



Individual solutions
for your perfect sound



MBQUART 
GERMAN AUDIO TECHNOLOGY



Loudspeaker-Systems for BMW Vehicles

The perfectly matching QUART MOBIL loudspeaker components for all current BMW vehicles of the E- and F series, offer besides high-quality midrange and bass speakers, very fine drawing tweeters with neodymium drivers, which have an optimal radiation response. The component-systems come additionally with detailed tuned cross-overs including a 3-fold adjustable tweeter level, which ensure a perfect frequency separation of the components.

For the still very popular BMW E46 3 Series, MB QUART offers a 16.5 cm component system, which is characterized by a very good price-performance ratio and ensures a better sound in the vehicle.

QM100C BMW

10 cm 2-Way Component-System

Power Rating 2 x 60/120 Watts RMS/MAX.
Impedance 4 Ohms
2 x 25 mm Silk-Dome-Tweeter
2 x 102 mm Polycone Midwoofer
2 x 2-Way Crossover with
3-fold adjustable Tweeter Level
Incl. Wiring, Cable Adapters and Adapter Rings

Suitable for:
All BMW E- and F-Models



QM200W BMW

20 cm Bass-Speakers (pair)

Power Rating 2 x 100/200 RMS/MAX.
Impedance 4 Ohms
2 x 217 mm Polycone-Bass with Neodymium-Driver
Incl. cable adapters

Suitable for:
All BMW E- and F-Models

Better sound
More power
Higher stability



Fits the original mounting holes



QM200C **BMW**

Semi-active 3-Way Component-System

Power Rating 2 x 60/120 Watts RMS/MAX.

Impedance 4 Ohms

2 x 25 mm Silk-Dome-Tweeter

2 x 102 mm Polycone Midwoofer

2 x 217 mm Polycone-Bass with Neodymium-Driver

2 x 2-Way Crossover with 3-fold adjustable Tweeter Level

Incl. Wiring, Cable Adapters and Adapter Rings

Suitable for:

All BMW E- and F-Models

Additionally required:

1 x 4-Channel or 2 x 2-Channel Amplifier





QM100X BMW

10 cm 2-Way Coaxial-Speakers

Power Rating 2 x 60/120 Watts RMS/MAX.
Impedance 4 Ohms
2 x 102 mm Polycone-Midrange-Speaker
with 20 mm Silk-Dome-Tweeter
Incl. Wiring, Cable Adapters and Adapter Rings

Suitable for:
All BMW E- and F-Models

QM200WX

20 cm Bass-Speakers (pair)

Power Rating 2 x 180/300 RMS/MAX.
Impedance 2 Ohms
2 x 217 mm Bass mit Neodymmagnet,
50 mm Voice Coils, Glas Fiber Cone,
Nomex Spider and car-specific Terminals

Suitable for:
All BMW E- and F-Models





QM165 E46 BMW

16,5 cm 2-Way Component-System

Power Rating 2 x 90/140 Watts RMS/MAX.
Impedance 4 Ohms
2 x 160 mm Polycone-Bass
2 x 25 mm Silk-Dome-Tweeter
2 x 2-Way Crossover
Incl. Wiring and Adapter Rings

Suitable for:
3 Series (all E46 except Compact)



QM165 BMW

16,5 cm Bass-Speakers (pair)

Power Rating 2 x 90/140 Watts RMS/MAX.
Impedance 4 Ohms
2 x 160 mm Polycone-Bass

Suitable for:
3 Series (all E46 except Compact)

Loudspeaker-Systems for VW vehicles

The QUART MOBIL loudspeaker systems for the most popular models from Volkswagen, convince with perfectly matching components such as high-quality mid-range drivers and woofers and very detailed playing neodymium tweeters with perfect radiation. The corresponding, very easy-to-install frequency crossovers enable an optimal separation between the high and mid range frequency.



QM165 VW

16,5 cm 2-Way Component-System

Power Rating 2 x 80/120 RMS/MAX.
Impedance 4 Ohms
2 x 25 mm Silk-Dome-Tweeter
2 x 166 mm Polycone-Bass
2 x Cable-Crossover
Incl. Wiring, Cable Adapters and Adapter Rings

Suitable for:
Golf IV, Passat ('96-'05), Bora, Polo 9N

Loudspeakers for Golf IV, Passat und Bora

QM165 VW

16,5 cm Bass-Speakers (Pair, Adapter required)

Power Rating 2 x 80/120 RMS/MAX.
Impedance 4 Ohms
2 x 166 mm Polycone-Bass

Suitable for:
Golf IV, Passat ('96-'05), Bora, Polo 9N



QM200 VW

20 cm 2-Way Component-System

Power Rating 2 x 100/150 Watts RMS/MAX.
 Impedance 4 Ohms
 2 x 25 mm Silk-Dome-Tweeter
 2 x 205 mm Polycone-Bass with Neodymium-Driver
 2 x Crossover with 3-fold adjustable Tweeter Level
 Incl. Wiring and Adapter Rings

Suitable for:
 Golf IV, Passat ('96-'05), Bora



Loudspeakers

for Golf V, Passat und Bora



QM200 VW

20 cm Bass-Speakers (Pair, Adapter required)

Power Rating 2 x 100/150 Watts RMS/MAX.
 Impedance 4 Ohms
 2 x 205 mm Polycone-Bass with Neodymium-Driver

Suitable for:
 Golf IV, Golf V, Passat ('96-'05), Bora



Loudspeaker-Systems for VW vehicles



QM165 GOLF VI

16,5 cm 2-Way Component-System

Power Rating 2 x 100/150 RMS/MAX.
Impedance 4 Ohms
2 x 25 mm Silk-Dome-Tweeter
2 x 166 mm Polycone-Bass
2 x Crossover with 3-fold adjustable Tweeter Level
Incl. Wiring and Adapter Rings

Suitable for:
Golf VI, Golf VII, Scirocco III, Polo 6R

QMW165 GOLF VI

16,5 cm Bass-Speakers (Pair, Adapter required)

Power Rating 2 x 100/150 RMS/MAX.
Impedance 4 Ohms
2 x 166 mm Polycone-Bass

Suitable for:
Golf VI, Scirocco III, Polo 6R



QM200.3 GOLF V

3-Way Component-System

Power Rating 2 x 120/180 Watts RMS/MAX.
Impedance 4 Ohms
2 x 25 mm Silk-Dome-Tweeter
2 x 113 mm Polycone-Midrange
2 x 205 mm Polycone-Bass with Neodymium-Driver
4 x Crossover
Incl. Wiring and Adapter Rings

Suitable for:
Golf V (3- und 5-Door)



Subwoofer-Systems for VW / BMW / Peugeot

QB250 GOLF V

**Active 25 cm Subwoofer-System,
fits into the left trunk space**

Output Power 250 Watts RMS
0° / 180° Phase-Shift
Bass-Boost 0-12 dB adjustable / 45 Hz
Remote Bass Level Control
Lowpass-Filter 50 – 200 Hz / 12 dB
Subsonic-Filter fixed at 27 Hz / 24 dB
Auto-Turn-On, High-Level-Inputs
Suitable for Golf V (3-/5-Door, 2005 - 2008)



QB250 BMW1

**Active 25 cm Subwoofer-System,
fits into the left trunk space**

Output Power 250 Watts RMS
0° / 180° Phase-Shift
Bass-Boost 0-12 dB adjustable / 45 Hz
Remote Bass Level Control
Lowpass-Filter 50 – 200 Hz / 12 dB
Subsonic-Filter fixed at 27 Hz / 24 dB
Auto-Turn-On, High-Level-Inputs
Suitable for BMW 1er (E81, E87, 3/5-Door / 2004-2012)

QB250 P206

**Active 25 cm Subwoofer-System,
fits into the right trunk space**

Output Power 250 Watts RMS
0° / 180° Phase-Shift
Bass-Boost 0-12 dB adjustable / 45 Hz
Remote Bass Level Control
Lowpass-Filter 50 – 200 Hz / 12 dB
Subsonic-Filter fixed at 27 Hz / 24 dB
Auto-Turn-On, High-Level-Inputs
Suitable for Peugeot 206/206+ (3-/5-Door, 1998 - 2012)



Loudspeaker Universal

QS100

10 cm 2-Way Component-System

Power Rating 70/140 Watts RMS/MAX.
Impedance 3 Ohms
2 x 100 mm Polycone-Bass with Grille
2 x 25 mm Silk-Dome-Tweeter
2 x 12 dB Cable-Crossover, optional
with -3dB Tweeter Attenuation
Mounting Diameter 92 mm, Mounting Depth 47 mm



QS130

13 cm 2-Way Component-System

Power Rating 80/160 Watts RMS/MAX.
Impedance 3 Ohms
2 x 130 mm Polycone-Bass with Grille
2 x 25 mm Silk-Dome-Tweeter
2 x 12 dB Cable-Crossover, optional
with -3dB Tweeter Attenuation
Mounting Diameter 115 mm, Mounting Depth 50 mm

QS165

16,5 cm 2-Way Component-System

Power Rating 90/180 RMS/MAX.
Impedance 3 Ohms
2 x 165 mm Polycone-Bass with Grille
2 x 25 mm Silk-Dome-Tweeter
2 x 12 dB Cable-Crossover, optional
with -3dB Tweeter Attenuation
Mounting Diameter 143 mm, Mounting Depth 60 mm





QS165W

16,5 cm Bass-Speakers (Pair)

Power Rating 90/180 Watts RMS/MAX., Impedance 3 Ohms
2 x 165 mm Polycone-Bass with Grille
Mounting Diameter 143 mm, Mounting Depth 60 mm

QS75

7,5 cm Midwoofer (Pair)

Power Rating 60/120 Watts RMS/MAX., Impedance 4 Ohms
2 x 75 mm Midwoofer and Aluminum-Ring and Grille
2 x 6 dB Cable-Crossover
Mounting Diameter 73 mm, Mounting Depth 41 mm



NEW

NEW

QSW3

3-Way Crossover for Active-Systems

Suitable for QS-Systems and QS75, Power Rating 60/120 Watts RMS/MAX.
Transmission Frequency 400 Hz / 3000 Hz
2 x 3-Way Crossover with Tweeter Level Switch (-6dB/-3dB/0dB)



QX100

10 cm 2-Way Coaxial-Speakers

Power Rating 60/120 Watts RMS/MAX., Impedance 3 Ohms
2 x 100 mm Polycone-Bass with 13 mm Silk-Dome-Tweeter and Grille
Mounting Diameter 92 mm, Mounting Depth 47 mm



QX130

13 cm 2-Way Coaxial-Speakers

Power Rating 70/140 Watts RMS/MAX., Impedance 3 Ohms
2 x 130 mm Polycone-Bass with 13 mm Silk-Dome-Tweeter and Grille
Mounting Diameter 115 mm, Mounting Depth 50 mm



QX165

16,5 cm 2-Way Coaxial-Speakers

Power Rating 80/160 Watts RMS/MAX., Impedance 3 Ohms
2 x 165 mm Polycone-Bass mit 13 mm Silk-Dome-Tweeter and Grille
Mounting Diameter 143 mm, Mounting Depth 60 mm



MBQUART



Audio Design GmbH
Am Breilingsweg 3 · D-76709 Kronau/Germany
Tel. +49 7253 - 9465-0 · Fax +49 7253 - 946510
www.audiodesign.de

© Audio Design GmbH, All Rights Reserved

MB Quart bzw. die Audio Design GmbH sind in keiner Weise mit gezeigten Automobilherstellern oder einer ihrer Tochtergesellschaften oder Partner-Unternehmen verbunden, oder handeln in deren Auftrag oder mit deren Autorisierung. Alle geschützten Produktnamen und Markennamen sind das Eigentum ihrer jeweiligen Inhaber. Die Kompatibilität mit den angegebenen Fahrzeugtypen entspricht dem Informationsstand vom Juli 2012. Technische Änderungen und Irrtum vorbehalten.

MB Quart or Audio Design GmbH is in no way affiliated with the shown automobile manufacturers or any of its subsidiaries or affiliated companies connected to, or is acting on its behalf or with its authorization. All registered product names, trade marks and brands are the property of their respective owners. The compatibility with the specified types of vehicles reflects the information available on July 2012. Technical changes and errors reserved.